



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/138,429	08/24/1998	IMRAN HASHIM	AMAT/2406/MD	4066
32588	7590	10/20/2004	EXAMINER	
APPLIED MATERIALS, INC. 2881 SCOTT BLVD. M/S 2061 SANTA CLARA, CA 95050			MERCADO, JULIAN A	
			ART UNIT	PAPER NUMBER
			1745	

DATE MAILED: 10/20/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	01/138,429	AKIYAMA ET AL.	
	Examiner	Art Unit	
	Julian Mercado	1745	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED. (35 U.S.C. § 133).

Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

1) Responsive to communication(s) filed on 7-27-04.
 2a) This action is **FINAL**. 2b) This action is non-final.
 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

4) Claim(s) 21-50 is/are pending in the application.
 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
 5) Claim(s) 31 is/are allowed.
 6) Claim(s) 21-30 and 32-50 is/are rejected.
 7) Claim(s) _____ is/are objected to.
 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

9) The specification is objected to by the Examiner.
 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

1) <input type="checkbox"/> Notice of References Cited (PTO-892)	4) <input type="checkbox"/> Interview Summary (PTO-413)
2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Date. _____
3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date _____	5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
	6) <input type="checkbox"/> Other: _____

DETAILED ACTION

Remarks

This Office action is responsive to applicant's amendment filed July 27, 2004.

Claims 21-50 are pending.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 21, 22, 24, 27-29, 32-43, 45, 46 and 48-50 are rejected under 35 U.S.C.

103(a) as being unpatentable over Hsu (U.S. Pat. 5,589,039) et al. in view of Miyata (U.S. Pat. 5,519,373) and Tepman (U.S. Pat. 5,527,438).

Claims 23, 25, 26, 30 and 44 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hsu, Miyata and Tepman as applied to claims 21, 22, 24, 27-29, 32-43, 45, 46 and 48-50 above, and further in view of Boys et al. (U.S. Pat. 4,500,409).

The above rejections are each maintained for the reasons of record and for the additional reasons to follow in response to applicant's salient arguments. The above rejections are also applied towards new claims 46-50 to the extent that these claims more generally claim the instant magnetic sputtering method.

Applicant submits that Miyata does not teach a horizontal magnetic field near his wafer. In reply, the examiner asserts that the proximity of the magnetic field near the

wafer is outside the scope of the present claims. The claims merely require a horizontal magnetic field which is parallel to the substrate surface. Since the target and substrate is positioned in parallel, it naturally follows that a parallel magnetic field formed near the target would be parallel to the target surface. In another respect, the skilled artisan would find obvious that at least a portion of the parallel magnetic field lines, as magnetic field lines are known to extend infinitely into space albeit with reducing magnetic field strength, would reside near the substrate surface.

As to the circular geometry of Miyata's target being ill-suited for Hsu's square substrates, this is not persuasive as there is nothing in Miyata that teaches away from deposition onto square substrates. In fact, both Hsu and Miyata similarly teach use of circular targets. (see Hsu col. 5 line 22-27)

With respect to Miyata's magnet ring being located outside the sputtering chamber, refer to Figure 10 and col. 6 line 59 et seq. wherein the magnet ring [100] is inside the sputtering chamber.

The examiner notes no specific arguments were submitted against Tepman and Boys. On page 9 line 2 of the present response applicant refers to claim 27 as being allowed, however, it is noted that only claim 31 has been allowed during the prosecution of this application.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian Mercado whose telephone number is (571) 272-1289. The examiner can normally be reached on Monday through Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick J. Ryan, can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Art Unit: 1745

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.


Pam Ryan
Art Unit 1745


Pam Ryan
Art Unit 1745